



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/561,314	12/19/2005	Hiroshi Yahata	92478-8400	6274

52044 7590 11/26/2007
SNELL & WILMER L.L.P. (Matsushita)
600 ANTON BOULEVARD
SUITE 1400
COSTA MESA, CA 92626

EXAMINER

HUR, ECE

ART UNIT	PAPER NUMBER
----------	--------------

2179

MAIL DATE	DELIVERY MODE
-----------	---------------

11/26/2007

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/561,314	Applicant(s) YAHATA ET AL.	
	Examiner ECE HUR	Art Unit 2179	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on September 10, 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-11 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☐ Claim(s) 1-11 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 12/19/2005 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>09/10/2007</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

This action is responsive to Remarks filed on September 10, 2007 in which Claims 1 to 11 are presented for examination. This application is a 371 of PCT/ JP04/09515, filed on June 29, 2004. Applicant is claiming priority for the application 60/483,228, filed on June 20, 2003.

Status of Claims

Claims 1-11 are pending in the case. Claims 1, 5, 9, 10 and 11 are the independent Claims.

Claims 1, 2, 5, 6, 9, 10 and 11 are rejected under Double Patenting.

Claims 1 and 11 are rejected under 35 U.S.C. 102(b).

Response to Arguments

Applicant's request for reconsideration of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn. Applicant's arguments filed September 10, 2007 have been fully considered. Applicant argued:

1) Applicant submitted the Japanese Patent Publication 9-81118A, which was cited as relating to the general state of the art, was not found in the USPTO file. Applicant's submission of the Japanese Patent Publication 9-81118A has been placed in the application file, the information referred to therein has been considered as to the merits.

2) Regarding Claim 10, applicant amended Claim 10 and changed "program embodies" to "computer readable medium storing a program". The rejection under 35 U.S.C. 101 is withdrawn.

3) Applicant argued that the Office Action rejected each of the outstanding Claims 1-11 as being anticipated under 35 U.S.C. § 102(e) by the Ikeda et al. (U.S. Patent Publication 2006/0188223) was not published in English, and accordingly, no benefit of the international filing date nor of any U.S. filing dates prior to the International Application can be given for 35 U.S.C. §102(e) prior art purposes (see MPEP §706.02(f) and Example 5 on Page 700-34 of the MPEP). Applicant's request for reconsideration of the rejection of the last Office action is persuasive and, therefore, the finality of that action based on Ikeda et al. (U.S. Patent Publication 2006/0188223) is withdrawn. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Murase, US 5,907,658. See the rejection for Claims 1-11.

Information Disclosure Statement Acknowledgement

The information disclosure statement filed on August 21, 2007 and September 10, 2007 are in compliance with the provisions of 37 CFR 1.97, 1.98 and MPEP § 609. It has

been placed in the application file, the information referred to therein has been considered as to the merits.

Specification Objection

The lengthy specification has not been checked to the extent necessary to determine the presence of all possible minor errors. Applicant's cooperation is requested in correcting any errors of which applicant may become aware in the specification.

Drawings Objection

Due to the lengthy specification the drawings has not been checked to the extend necessary to determine whether the drawings are comply with 37 CFR 1.84(p)(4) and (p)(5).

Claim Objections

The claims in this application are on a separate sheet, however page number does start with "1", it starts with "2". Appropriate correction is required in response to this action.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1, 2, 5, 6, 9, 10 and 11 of the currently examined application (10/561,314) provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over Claims 1, 2, 5, 7, 9, 10, 11 of copending Application No. (11/212,801). Although the conflicting claims are not identical, they are not patentably distinct from each other because it would have been obvious to one of ordinary skill in the art at the time of the invention. Exemplarity Claim 5 from both applications is provided in Table 1.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Table 1

Current Application: 10/561,314(Claim 5)	Copen ding Application: 11/212/801(Claim 5)	
<p>A reproduction apparatus for reproducing a video stream and a graphics stream, said apparatus comprising:</p> <p>a graphics decoder operable to decode the graphics stream which represents an interactive display including a plurality of graphical button materials to be overlaid with a motion picture, wherein:</p>	<p>A reproduction apparatus for reproducing a digital stream into which a video stream and a graphics stream are multiplexed, said reproduction apparatus comprising:</p> <p>a video decoder operable to decode the video stream into a motion picture made of a plurality of pictures; and</p> <p>a graphics decoder operable to decode the graphics stream representing an interactive display overlaid with the motion picture, the interactive display including a plurality of graphical button materials; wherein:</p>	
<p>the graphics stream includes a plurality of graphics data sets each forming a group of graphics data which renders a predetermined state of the graphical button materials;</p> <p>the plurality of graphics data sets respectively renders different predetermined states of the graphical button materials; and</p>	<p>the graphics stream includes a plurality of pieces of graphics data that are grouped under state sets;</p> <p>the state sets respectively correspond to different states of at least one button material and are disposed in a sequential order.</p>	

Art Unit: 2179

said reproduction apparatus uses one of (a) the graphics data belonging to a top set and (b) the graphics data belonging to a second-place set in the plurality of graphics data sets for presenting an initial display of the interactive display, and uses the graphics data belonging to remaining ones of the plurality of graphics data sets for updating the interactive display upon a user operation.	said graphics decoder uses, for presenting the initial display of the interactive display, graphics data belonging to a top state set and at least a piece of graphics data that belong to a second-order state set, and uses remaining graphics data belonging for updating the interactive display upon a user operation.	
---	---	--

Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-11 are rejected under 35 U.S.C. 102(b) as being anticipated by Murase, US Patent 5,907,658.

Regarding Claim 1, Murase discloses multimedia optical disk, reproduction apparatus and method for achieving variable scene development based on interactive control.

Murase discloses the claimed aspect of a recording medium comprising a graphics stream which represents an interactive display including a plurality of graphical button materials to be overlayed with a motion picture in FIG.1A, FIG.18 and FIG. 19 A, wherein graphic stream is illustrated that is overlayed with motion picture. Furthermore,

elementary streams other than moving picture elementary streams are also called sub-streams. In DVD, a VOB can include a moving picture elementary stream and 32 sub-picture sub-streams at maximum. In this case, the 32 sub-streams has identification numbers #0-#31. (Murase, Column 14, lines 39-42).

Murase discloses the claimed aspect of said graphics stream includes a plurality of graphics data set each forming a group of graphics data which renders a predetermined state of said graphical button materials and plurality of graphics, data sets respectively renders different predetermined states of said graphical button materials in FIG.8 , wherein the items in a menu are in any of the standard state, selection state, and determination state. The state changes with user operations. For example, in FIG. 8, the reproduction apparatus displays, for the default operation, item #1 as the selection state and other items as standard state. If the standard state is white, selection state blue, determination state red, then, only the item for item #1 is blue. With this arrangement, the user can check which item is in the selection state (the item in the selection state is also called the item specified by the cursor). The user can change the item in the selection state by pressing any of up/down/left/right cursor keys. The reproduction apparatus stores information on the cursor destinations for respective up/down/left/right cursor keys, which is later described in detail. (Murase, Column 15, lines 52-63).

Regarding Claim 2, most of the limitations have been met in the rejection of Claim 1. See the rejection of Claim 1 for details. Murase discloses the claimed aspect of recording medium with different predetermined states are respectively a normal state, a selected state, and an active state and plurality of graphics data sets are disposed in an order, wherein the items in a menu are in any of the standard state, selection state, and determination state. The state changes with user operations. For example, in FIG. 8, the reproduction apparatus displays, for the default operation, item #1 as the selection state and other items as standard state. If the standard state is white, selection state blue, determination state red, then, only the item for item #1 is blue. With this arrangement, the user can check which item is in the selection state (the item in the selection state is also called the item specified by the cursor). The user can change the item in the selection state by pressing any of up/down/left/right cursor keys. The reproduction apparatus stores information on the cursor destinations for respective up/down/left/right cursor keys, which is later described in detail. (Murase, Column 15, lines 52-63).

Regarding Claim 3, most of the limitations have been met in the rejection of Claim 1. See the rejection of Claim 1 for details. Murase, discloses the claimed aspect of recording medium comprising play list information main path information indicates a video stream as a main stream and defines a reproduction section of the main stream in and play list information includes main-path information and sub-path information in FIG.1A-C, wherein FIG. 1B shows how digital data is stored in a video CD. The drawing shows five pieces of moving picture digital data, moving pictures #1-#5, and a group of

pieces of reproduction route data for specifying the reproduction order of the moving pictures are stored in the video CD. The digital data sequences making up the moving pictures are stored in the respective consecutive areas in separately. FIG. 1A shows the contents of the moving pictures and the reproduction order of them. Moving picture #1 shows an image of a detective entering a room. Moving picture #2 shows a pen and glasses on a desk in the room. Moving picture #3 is a menu providing two option items, item "1" for glasses and item "2" for a pen. Moving picture #4 is reproduced when "1" is selected; moving picture #5 when "2" is selected. FIG. 1C shows several pieces of reproduction route data. The reproduction route data is divided into two types; one provides a reproduction order for a plurality of moving pictures; the other provides a plurality of branch targets. Furthermore, the former type is called a play list. In the play list, a plurality of moving pictures to be reproduced successively and the reproduction order are specified. Also, the play list includes a piece of link information which specifies a branch destination of the play list itself, connecting a reproduction route to another. (Murase, Column 1, lines 40-67). Additionally, in FIG. 36 graphic stream is overlayed with video stream.

Murase, discloses the claimed aspect of said sub-path information indicates said graphics stream as a sub stream which synchronizes with said main stream, defines a reproduction section of said sub stream and includes reproduction information, wherein the Highlight Information is stored in the same storage area with the control information for the trick-plays such as forward bind. The management information pack including the Highlight Information is allocated in units of GOPs. This is because the control

information for trick-plays should be allocated per unit of reproducing moving picture data. However, the management information pack including the Highlight Information may be allocated in the units other than GOPs if the Highlight Information is not stored in the same storage area with the control information for the trick-plays. For example, the management information pack may be synchronized with an image frame reproduced per a thirtieth second, being far less than 0.5 to 1.0 seconds. (Murase, Column 43, lines 33-46).

Murase, discloses the claimed aspect of reproduction information indicates a synchronization point on a reproduction time axis of said main stream and interactive display is represented to be overlaid with a picture of said video stream in said reproduction section of said main stream, wherein the time axis is given as management information pack may be synchronized with an image frame reproduced per a thirtieth second, being far less than 0.5 to 1.0 seconds. (Murase, Column 43, lines 43-46).

Regarding Claim 4, most of the limitations have been met in the rejection of Claim 3. See the rejection of Claim 3 for details. Murase discloses the claimed aspect of recording medium, further comprising a read-only optical disk wherein video stream is recoded on a read-only optical disk and graphics stream and said video stream are recorded on said recording medium which is a rewritable disk, wherein the multimedia optical disk may further comprises a plurality of sectors formed on a spiral track, wherein each of the index area and the plurality of small areas is set in a series of

consecutive sectors, each of the piece of moving picture data, the piece of audio data, and the piece of sub-picture data in the first sub-area is recorded over at least a sector, and the piece of sub-control information in the second sub-area is recorded over at least a sector. (Murase, Column 5, lines 43-50).

Regarding Claim 5, Murase discloses the claimed aspect of a reproduction apparatus for reproducing a video stream and a graphics stream, a graphics decoder operable to decode the graphics stream which represents an interactive display including a plurality of graphical button materials to be overlayed with a motion picture in FIG. 24, wherein a block diagram showing the construction of the DVD player used in the present embodiment. The DVD player includes optical disk drive 16, optical pickup 82, optical disk drive controlling unit 83, signal processing unit 84, AV decoding unit 85, remote control receiving unit 92, and system controlling unit 93. AV decoding unit 85 comprises signal separating unit 86, video decoder 87, sub-picture decoder 88, audio decoder 89, and picture mixing unit 90. Furthermore a graphics decoder operable to decode the graphics stream representing an interactive display overlayed with the motion picture. (Murase, Column 28, lines 50-58).

Murase, discloses the claimed aspect of graphics stream includes a plurality of graphics data sets each forming a group of graphics data which renders a predetermined state of the graphical button materials in FIG. 19 A and B illustrates an interactive display including at least one graphical button material.

Murase discloses the claimed aspect of said graphics stream includes a plurality of graphics data set each forming a group of graphics data which renders a predetermined state of said graphical button materials and plurality of graphics, data sets respectively renders different predetermined states of said graphical button materials in FIG. 10, wherein graphics stream includes a plurality of pieces of graphics data that are grouped under state sets and the state sets correspond to different states of at least one button material and are disposed in a sequential order.(Murase, Column 15, lines 52-63).

Murase achieves the claimed aspect of reproduction apparatus uses on of a graphics data respectively belonging to a top set and the graphics data belonging to a second-place set in the plurality of graphics data sets for presenting an initial display of the interactive display, and uses the graphics data belonging to remaining ones of the plurality of graphics data sets for updating the interactive display upon a user operation, wherein the items in a menu are in any of the standard state, selection state, and determination state. The state changes with user operations. For example, in FIG. 8, the reproduction apparatus displays, for the default operation, item #1 as the selection state and other items as standard state. If the standard state is white, selection state blue, determination state red, then, only the item for item #1 is blue. With this arrangement, the user can check which item is in the selection state (the item in the selection state is also called the item specified by the cursor). The user can change the item in the selection state by pressing any of up/down/left/right cursor keys. The reproduction

apparatus stores information on the cursor destinations for respective up/down/left/right cursor keys, which is later described in detail. (Murase, Column 15, lines 52-63).

Regarding Claim 6, most of the limitations have been met in the rejection of Claim 5. See the rejection of Claim 5 for details. Murase discloses the claimed aspect of the reproduction apparatus the different predetermined states are respectively a normal state, a selected state, and an active state and the plurality of graphics data sets are disposed in an order of a normal-state set, a selected-state set, and an active-state Set, wherein Firstly, the items in a menu are in any of the standard state, selection state, and determination state. The state changes with user operations. For example, in FIG. 8, the reproduction apparatus displays, for the default operation, item #1 as the selection state and other items as standard state. If the standard state is white, selection state blue, determination state red, then, only the item for item #1 is blue. With this arrangement, the user can check which item is in the selection state (the item in the selection state is also called the item specified by the cursor). The user can change the item in the selection state by pressing any of up/down/left/right cursor keys. The reproduction apparatus stores information on the cursor destinations for respective up/down/left/right cursor keys, which is later described in detail. If the user presses the determination key on the remote controller while the cursor stays at an item in the selection state, the user can determine the item. The item turns to red from blue. Then, a command specified for the determination state is executed. In FIG. 8, the reproduction control is performed for the determined item. (Murase, Columns 15-16, lines 52-67, lines 1-4).

Murase, discloses the claimed aspect of that the graphics decoder includes a graphics processor operable to decode the graphics data and an object buffer operable to store of decompressed graphics data obtained by the decoding, wherein a graphics plane operable to store at least some of the decompressed graphics data in a graphics data that are to be overlayed with the motion in FIG. 24, wherein a block diagram showing the construction of the DVD player used in the present embodiment. The DVD player includes optical disk drive 16, optical pickup 82, optical disk drive controlling unit 83, signal processing unit 84, AV decoding unit 85, remote control receiving unit 92, and system controlling unit 93. AV decoding unit 85 comprises signal separating unit 86, video decoder 87, sub-picture decoder 88, audio decoder 89, and picture mixing unit 90. (Murase, Column 28, lines 50-58).

Murase discloses the claimed aspect of a graphics controller operable to write the decompressed graphics data in a graphics data set for rendering the selected state to said graphics plane in FIG. 24, wherein Graphics controller as system controlling unit 93 is illustrated.

Regarding Claim 7, most of the limitations have been met in the rejection of Claim 6. See the rejection of Claim 6 for details. Murase discloses the claimed aspect of reproduction apparatus comprising a video decoder which decodes the video stream and reads play list information recorded on a recording medium in FIG. 24, wherein the video decoder 87 is illustrated (Murase, Column 28, lines 50-58).

Murase discloses the claimed aspect of the play list information includes main-path information and sub-path information and play list information includes main-path information and sub-path information, information in FIG. 1A-C, wherein FIG. 1B shows how digital data is stored in a video CD. The drawing shows five pieces of moving picture digital data, moving pictures #1-#5, and a group of pieces of reproduction route data for specifying the reproduction order of the moving pictures are stored in the video CD. The digital data sequences making up the moving pictures are stored in the respective consecutive areas in separately. FIG. 1A shows the contents of the moving pictures and the reproduction order of them. Moving picture #1 shows an image of a detective entering a room. Moving picture #2 shows a pen and glasses on a desk in the room. Moving picture #3 is a menu providing two option items, item "1" for glasses and item "2" for a pen. Moving picture #4 is reproduced when "1" is selected; moving picture #5 when "2" is selected. FIG. 1C shows several pieces of reproduction route data. The reproduction route data is divided into two types; one provides a reproduction order for a plurality of moving pictures; the other provides a plurality of branch targets. Furthermore, the former type is called a play list. In the play list, a plurality of moving pictures to be reproduced successively and the reproduction order are specified. Also, the play list includes a piece of link information which specifies a branch destination of the play list itself, connecting a reproduction route to another. (Murase, Column 1, lines 40-67). Additionally, in FIG. 36 graphic stream is overlayed with video stream.

Murase, discloses the claimed aspect of said sub-path information indicates said graphics stream as a sub stream which synchronizes with said main stream, defines a

reproduction section of said sub stream and includes reproduction information, wherein the Highlight Information is stored in the same storage area with the control information for the trick-plays such as forward bind. The management information pack including the Highlight Information is allocated in units of GOPs. This is because the control information for trick-plays should be allocated per unit of reproducing moving picture data. However, the management information pack including the Highlight Information may be allocated in the units other than GOPs if the Highlight Information is not stored in the same storage area with the control information for the trick-plays. For example, the management information pack may be synchronized with an image frame reproduced per a thirtieth second, being far less than 0.5 to 1.0 seconds. (Murase, Column 43, lines 33-46).

Murase, discloses the claimed aspect of reproduction information indicates a synchronization point on a reproduction time axis of said main stream and interactive display is represented to be overlaid with a picture of said video stream in said reproduction section of said main stream, wherein the time axis is given as management information pack may be synchronized with an image frame reproduced per a thirtieth second, being far less than 0.5 to 1.0 seconds. (Murase, Column 43, lines 43-46).

Regarding Claim 8, most of the limitations have been met in the rejection of Claim 7. See the rejection of Claim 7 for details. Murase discloses the claimed aspect of reproduction apparatus, the video stream is recorded on a read-only optical disk; and

the graphics stream and the video stream are recorded on a recording medium which is a rewritable disk, wherein the multimedia optical disk may further comprises a plurality of sectors formed on a spiral track, wherein each of the index area and the plurality of small areas is set in a series of consecutive sectors, each of the piece of moving picture data, the piece of audio data, and the piece of sub-picture data in the first sub-area is recorded over at least a sector, and the piece of sub-control information in the second sub-area is recorded over at least a sector. (Murase, Column 5, lines 43-50).

Regarding Claim 9, the steps used to achieve the recording medium consists of the method of recording medium. The rejection for Claim 1 applies to Claim 9. See the rejection details for Claim 1.

Regarding Claim 10, Murase discloses the aspect of a computer readable medium storing for enabling a computer to reproduce a graphics stream, said program comprising code operable to cause the computer to perform the steps of reproduction apparatus for reproducing in FIG.22 and FIG. 4B, wherein Video Title Sets V1 and V2 are interactive software titles. These interactive software titles are achieved by the data structure characteristic to the optical disk of the present embodiment. (Murase, Columns 10-11, lines 65-68, lines 1-9). The rejection for Claim 5 applies to Claim 10. See the rejection details for Claim 5.

Regarding Claim 11, the steps used to achieve a reproduction apparatus can be used to achieve the methods of reproducing. The rejection for Claim 5 applies to Claim 11. See the rejection details for Claim 5.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- 1) Gonzalez, Ruben, US 20070005795 A1, 01/04/2007, "Object Oriented Video System ".
- 2) Dom, et al., US 6,166,735 , 2/26/2000, "Video story board user interface for selective downloading and displaying of desired portions of remote-stored video data objects".
- 3) Matsui, et al., US 6,580,756, 06/17/2003, "Data transmission method, data transmission system, data receiving method, and data receiving apparatus ".
- 4) Sull, Sanghoon, et al., US 20060064716 A1, 03/23/2006, "Techniques for navigating multiple video streams ".

5) De Haan, et al., US 6,701,064, 03/02/2004, "Record carrier, and apparatus and method for playing back a record carrier, and method of manufacturing a record carrier ".

6) Shiraishi Ryuichi, Fujiwara Shiro, JP2001332006, 11/30/2001, "Back Ground Image Capturing System".

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ECE HUR whose telephone number is 571 270-1972. The examiner can normally be reached on MONDAY-THURSDAY 7:30 AM - 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Weilun Lo can be reached on (571) 272-4847. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/561,314

Page 21

Art Unit: 2179

Ece Hur
E.H./e.h.

November 19, 2007



BA HUYNH
PRIMARY EXAMINER